



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/815,130

03/31/2004

Norbert Steven Parsoneault

8209.053.NPUS01

9169

70165 7590 02/02/2009
SEAGATE TECHNOLOGY LLC
C/O NOVAK DRUCE & QUIGG LLP
1000 LOUISIANA, SUITE 5350
HOUSTON, TX 77002

EXAMINER

KRAUSE, JUSTIN MITCHELL

ART UNIT

PAPER NUMBER

3656

MAIL DATE

DELIVERY MODE

02/02/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/815,130	Applicant(s) PARSONEAULT ET AL.	
	Examiner JUSTIN KRAUSE	Art Unit 3656	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-14,21 and 22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-14,21,22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 12, 2008 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Nii (US Patent 4,938,611).

Nii discloses a fluid dynamic bearing motor comprising:

A base (14) having a bore hole

A liner (6) secured within the bore hole, the liner includes a bottom having a hole formed therethrough (fig 11).

A rotor assembly (15) having a shaft (1) partially disposed within the liner and configured to rotate relative to the liner,

A fluid dynamic bearing (a) disposed between the liner and the shaft

A recirculation channel (c) disposed outside the liner, for recirculating fluid during relative rotation of the liner and shaft.

Regarding claim 3, the base includes the recirculation channel (col. 3, lines 55-69, passageway may be a groove cut in the bearing housing 14), the recirculation channel extends along a wall of the bore hole (passage c) and along the bottom of the bore hole (passage d).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.


Claims 1, 3, 6, 9-14, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Usui (US Patent 5,924,798) in view of Nii et al. (US Patent 4,938,611).

Usui discloses a fluid dynamic bearing motor comprising:

- a base (5a) having a bore hole
- a liner (5b) secured in the bore hole, wherein the liner includes a bottom having a hole formed therethrough (as is shown in figure 3c, for example)
- a rotor assembly (9) having a shaft (6) partially disposed within the liner and configured to rotate relative to the liner
- a fluid dynamic bearing disposed between the liner and the shaft

Usui does not disclose a recirculation channel disposed outside the liner.

Nii teaches a bearing with a base (14) and a recirculation channel (c) outside of the liner (6). The structure of combined 5a and 5b in Usui is analogous to the liner 6 in Nii, Nii teaches placing the recirculation channel outside of the liner for the purposes of recirculating fluid from one end of the bearing to the other (see fig 3) and to discharge heat from the fluid to the bearing housing (col. 4, lines 26-28).



It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Usui to include a fluid recirculation passage for the desired purposes of recirculating fluid from one end of the bearing to the other and discharging heat from the fluid as taught by Nii.

Regarding claim 3, the base of Nii can include the recirculation channel (col. 3, lines 55-69, passageway maybe a groove cut in the bearing housing 14) extending along the side and bottom of the bore (when part of passage "d" is included with passage "c", see fig 3).

Regarding claim 6, the fluid dynamic bearing of Usui comprises a journal bearing (5c) and a thrust bearing (18).

Regarding claims 9 and 10, the process by which the product is made does not impart any additional device structure to the claim. The device of Usui is capable of being made by the claimed processes.


[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.

In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985), MPEP 2113 [R-1].

Regarding claim 11, the rotor assembly includes a hub (9), which is capable of being made by a cold working process. See MPEP 2113 [R-1]

Regarding claim 12, the process by which the product is made does not impart any additional device structure to the claim. The device of Usui is capable of being made by the claimed processes.

Regarding claim 13, the hub further includes a flange, and a stepped cylindrical sidewall extending from the flange and circumscribing at least a portion of the base.



Regarding claim 14, a magnet (12) is attached to the hub and a stator (4) is coupled to the base. The configuration in which the magnet generates a downward acting force on the hub is capable of being performed by Usui, however the limitation is functional in nature and carries minimal patentable weight.

"While features of an apparatus may be recited either structurally or functionally, claims directed to an apparatus must be distinguished from the prior art in terms of structure rather than function." MPEP 2114.

Regarding claims 21 and 22, the liner includes a top with an opening, and the recirculation channel extends from the hole formed through the bottom of the liner to the opening in the liner and is disposed to communicate lubricating fluid.


Claims 1, 3 and 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al (US 2001/0022869) in view of Nii.

Tanaka discloses a fluid dynamic bearing motor comprising:

- a base (11) having a bore hole
- a liner (12) secured in the bore hole, wherein the liner includes a bottom with a hole formed there through (as shown in figure 1);
- a rotor assembly (14) having a shaft (13) partially disposed within the liner and configured to rotate relative to the liner
- a fluid dynamic bearing disposed between the liner and the shaft

Tanaka does not disclose a recirculation channel disposed outside the liner.

Nii teaches a bearing with a base (14) and a recirculation channel (c) outside of the liner (6). The structure of 12 in Tanaka is analogous to the liner 6 in Nii, Nii teaches placing the recirculation channel outside of the liner for the purposes of recirculating fluid from one end of the bearing to the other (see fig 3) and to discharge heat from the fluid to the bearing housing (col. 4, lines 26-28).



It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Tanaka to include a fluid recirculation passage for the desired purposes of recirculating fluid from one end of the bearing to the other and discharging heat from the fluid as taught by Nii.

Regarding claim 3, the base of Nii can include the recirculation channel (col. 3, lines 55-69, passageway maybe a groove cut in the bearing housing 14) extending along the side and bottom of the bore (when part of passage "d" is included with passage "c", see fig 3).

Regarding claim 6, the fluid dynamic bearing comprises a journal bearing (R) and a thrust bearing (S).

Regarding claim 7, the journal bearing is asymmetrically configured to pump bearing fluid towards a bottom of the liner. (Paragraph 0058)

Regarding claim 8, the journal bearing includes 2 grooved bearing surfaces. (12r/13r, see fig. 1).

Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka in view of Nii as applied to claims 1 and 3 above, further in view of Titcomb (US Patent 5,516,212).

Tanaka in view of Nii does not disclose a capillary seal defined between a wall of the liner and a tapered section of the shaft.

Titcomb teaches a fluid dynamic bearing with a liner (28) and a capillary seal (62) between the liner and a tapered section of the shaft (46) to seal the lubricating fluid between the bearing surfaces. (col. 7, line 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate a capillary seal between the liner and a tapered section of the shaft as taught by Titcomb into the device of Tanaka, the motivation would have been to seal the lubricating fluid between the bearing surfaces.

Regarding claim 5, the bearing of Tanaka is configured to pump fluid through the hole in the bottom surface of the liner into the recirculation channel and into the reservoir. (Paragraph 0058)

Response to Arguments

Applicant's arguments filed November 12, 2008 have been fully considered but they are not persuasive. Applicant argues that Nii does not disclose a liner with a hole in the bottom. Applicant's point out that no specific feature in Figure 11 is shown to disclose this feature. The examiner finds readily apparent from a review of figure 11 that the bottom of the liner (which is element 6, as referenced above) includes a hole in the bottom which the shaft passes through (as "bottom" is without a reference frame, either end of the liner could be the "bottom" as either end of the liner has a hole in it). Accordingly, Nii anticipates the language of applicant's claim.

Applicant argues that the liner and housing of Nii are not equivalent to the liner and housing of the present invention. The examiner disagrees, and finds the liner 6 and the housing 14 equivalent to the liner and housing of applicant's invention.

Applicant's argument is unclear in its interpretation, as applicant appears to be considering holes 29d and 30d as part of the liner. The examiner disagrees with this interpretation, finding holes 29d and 30d not part of the abovementioned liner 6. The broad language of the claim requires "a bottom having a hole formed there through". Under a broad and reasonable interpretation, the liner 6 has two ends, either of which may be considered the "bottom" and both ends having a hole formed therethrough. Accordingly the liner of Nii satisfies the limitation claimed.

Regarding applicant's argument that Nii does not disclose "a liner secured within a bearing hole", there is no recited limitation of "a bearing hole". If applicant means "bore hole", the liner is fixed in the bore hole within base 14.

Applicant argues Usui does not include "a liner secured within the bearing hole". As is disclosed figure 3e, or column 4, lines 44-46, the liner is press fit into the base. Accordingly, the liner of Usui is secured within the bearing hole.

The examiner's position regarding the liner having a bottom with a hole formed therethrough is the same as above. The liner 5b has two ends, either of which may be considered the "bottom" and both ends having a hole formed therethrough. Accordingly the liner of Usui satisfies the limitation claimed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JUSTIN KRAUSE whose telephone number is (571)272-3012. The examiner can normally be reached on Monday - Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Justin Krause/
Examiner, Art Unit 3656

***/Thomas R. Hannon/
Primary Examiner, Art Unit 3656***